

Cisco DS-SFP-FC4G-SW Datasheet



Cisco DS-SFP-FC4G-SW 1-Gbps/2-Gbps /4-Gbps Fibre Channel—short wavelength SFP

DS-SFP-FC4G-SW

Cisco 4-Gbps Fibre Channel SFP Modules

Cisco 4-Gbps Fibre Channel SFP modules provide cost-effective Fibre Channel connectivity for 1/2/4-Gbps ports on the MDS 9000 Family platform. Three types are available: the Cisco Fibre Channel Shortwave SFP (part number DS-SFP-FC4G-SW), the Cisco 4-km Fibre Channel Longwave SFP (part number DS-SFP-FC4G-MR), and the Cisco 10-km Fibre Channel Longwave SFP (part number DS-SFP-FC4G-LW). Each offers 1/2/4 Gbps autosensing Fibre Channel connectivity.

Specifications

- Part Number: DS-SFP-FC4G-SW
- Description: Cisco 1/2/4-Gbps Fibre Channel-Shortwave, SFP, LC
- Connector: Dual LC connector
- Cable Type: MMF
- Wavelength: 850nm
- Cable Distance @ OM2:
 - 1640 ft (500m) @ 1.0625 GBd
 - 984 ft (300m) @ 2.125 GBd

- 492 ft (150m) @ 4.250 GBd
- Average Transmit Power (dBm)
 - Maximum: -2.5
 - Minimum: -9
- Average Receive Power (dBm)
 - Maximum: 0
 - Minimum: -
- Fiber Loss Budget (dBm): 1.78 (62.5 microns), 2.06 (50.0 microns [OM2]), and 2.88 (50.0 microns [OM3])
- Dimensions (H x W x D): 8.5 x 13.75 x 55.2 mm
- Operating Temperature Range: 0°C ~ 40°C
- Storage Temperature Range: -40°C ~ 85°C

[Buy Now](#)