


Qlogic FTLF8532P4BCV-QL Datasheet



Genuine Qlogic FTLF8532P4BCV-QL 32G Fibre Channel 32GFC 850nm 100m Short Wavelength SFP+ Optical Transceiver

FTLF8532P4BCV-QL

Genuine Qlogic FTLF8532P4BCV-QL 32G Fibre Channel 32GFC 850nm 100m Short Wavelength SFP+ Optical Transceiver

Features

- Up to 28.05Gb/s bi-directional data links
- Hot-pluggable SFP+ footprint
- Built-in digital diagnostic functions
- 850nm Oxide VCSEL laser transmitter
- Duplex LC connector
- 100m over M5F MMF (50/125 um OM4)
- 70m over M5E MMF (50/125 um OM3)
- 20m on 50um (OM2) MMF,
- Metal enclosure, for lower EMI
- Single 3.3V power supply
- Operating temperature range: 0°C to 70°C
- Tri-Rate 8.5/14.025/28.05 Gb/s Fibre Channel

Specifications

- Brand: Qlogic
- Part Number: FTLF8532P4BCV-QL
- Place of origin: Malaysia

- Form Factor: SFP+
- Wavelength: 850nm
- Distance: 100m
- Data Rate (max): 32Gb/s
- Low End Case Temperature (°C): 0°C
- High End Case Temperature (°C): 70°C
- Diagnostics: Digital
- Transmitter: VCSEL
- Receiver: PIN
- Voltage Supply: 3.3--5v
- Connector: Dual LC

[Buy Now](#)