

Cisco QSFP-4SFP25G-CU2M Datasheet



Cisco QSFP-4SFP25G-CU2M 100G QSFP to 4xSFP25G Passive Copper Splitter Cable, 2-meter

QSFP-4SFP25G-CU2M

Cisco QSFP-4SFP25G-CU2M

Cisco QSFP-100G to four SFP-25G copper direct-attach breakout cables are suitable for very short links and offer a cost-effective way to connect within racks and across adjacent racks. These breakout cables connect to a 100G QSFP port of a Cisco switch on one end and to four 25G SFP ports of a Cisco switch/server on the other end. Cisco currently offers passive cables in lengths of 1, 2, 3 and 5 meters.

Specifications

- Product Number: QSFP-4SFP25G-CU2M
- Description: Cisco 100G QSFP to 4xSFP25G Passive Copper Splitter Cable, 2-meter
- Cable Type: Direct-attach copper cable assembly

- Cable Distance: 2m
- Breakout Location (from 100G end): 0.66m

- Power Consumption: 1.5W
- Pull Tab Color: Brown

Platform support

Cisco QSFP-4SFP25G-CU2M is supported on a wide range of Cisco equipment.

- Cisco Nexus N9K-C9236C (NX-OS Mode)
- Cisco Nexus N9K-X9732C-EX(NX-OS Mode)
- Cisco Nexus N9K-C93108TC-X (NX-OS Mode)
- Cisco Nexus N9K-C92160YC-X (NX-OS Mode)
- Cisco Nexus N9K-C93180LC-EX (ACI Mode)
- Cisco Nexus N3K-C3232C
- Cisco Nexus N9K-C93180YC-EX (NX-OS Mode)
- Cisco Nexus N9K-X9432C-S
- Cisco Nexus N9K-X97160YC-EX(uplinks) (NX-OS Mode)

[Buy Now](#)