

Cisco SFP-10-25G-CSR-S Datasheet



Cisco SFP-10/25G-CSR-S 10/25GBASE-CSR SFP28 Module for MMF

SFP-10-25G-CSR-S

The Cisco 25GBASE SFP28 (Small Form-Factor Pluggable) portfolio offers customers a wide variety of high-density and low-power 25 Gigabit Ethernet connectivity options for data center and high-performance computing networks applications. The 25G Modules are based on SFP28 form factor.

Features and benefits of Cisco 25G Modules

- Interoperable with other IEEE-compliant 25G interfaces where applicable
- Certified and tested on Cisco SFP28 ports for superior performance, quality, and reliability
- High-speed connectivity compliant to IEEE 802.3by and IEEE 802.3cc

Cisco SFP-10/25G-CSR-S

The Cisco 10/25GBASE-CSR Module supports a link length of up to 300/400m over OM3/4 at 10G, and up to 300/400m over OM3/4 at 25G*. It also supports link lengths of 82m over OM2 at 10G, and up to 70m over OM2 at 25G.

This module requires RS-FEC on the host port for full reach operation at 25G. Using BASE-R FEC the module can support 70/100m over OM3/4 and with-out FEC it can support 30/50m over OM3/4 at 25G*. For 10G operation FEC is not required.

Specifications

- Product Number: SFP-10/25G-CSR-S
- Description: Cisco 10/25GBASE-CSR SFP28 Module for MMF
- Connectors: Dual LC/PC connector
- Cable Type: MMF
- Wavelength: 850nm
- Cable Distance:
 - 70m (25G), 82m (10G) @ OM2
 - 300m @ OM3
 - 400m @ OM4
 - 400m @ OM5
- Transmit Power (dBm):
 - 10G: -7.3 to +2.4
 - 25G: -6 to +2.4
- Receive Power (dBm):
 - 10G: -9.9to +2.4
 - 25G: -8.7 to +2.4
- Transmit and Receive Wavelength (nm): 840 to 860
- Operating temperature range: Commercial temperature range: 0 to 70°C (32 to 158°F)
- Storage temperature range: -40 to 85°C (-40 to 185°F)
- Pull Tab Color: Peach
- Max Power Consumption: 1.2W

Platform support

Cisco SFP-10/25G-CSR-S is supported on a wide range of Cisco equipment.

- Cisco N9K-C92348GC-X
- Cisco N540X-ACC-SYS
- Cisco NCS-5501-SE
- Cisco N9K-C93180YC-FX
- Cisco C9500-48Y4C
- Cisco N9K-C92160YC-X
- Cisco N9K-X97160YC-EX
- Cisco N540-ACC-SYS
- Cisco NCS-5501
- Cisco N9K-C93180YC-EX
- Cisco C9500-24Y4C
- Cisco N9K-X96136YC-R

[Buy Now](#)