

# H3C SFP-FE-LX-SM1310-D Datasheet



H3C SFP-FE-LX-SM1310-D 155Mbps 15km 1310nm SM ESFP Transceiver Module RTX139-400-H3C

SFP-FE-LX-SM1310-D

H3C SFP-FE-LX-SM1310-D 155Mbps 15km 1310nm SM ESFP Transceiver Module RTX139-400-H3C

The H3C SFP-FE-LX-SM1310-D SFP transceiver supports up to 10km link lengths over single-mode fiber (SMF) using a wavelength of 1310nm via an LC connector. Featuring low power consumption, the hot swappable 100BASE SFP transceiver is ideal for Internet Service Provider (ISP) Fast Ethernet communication links, Enterprise LAN & SAN Networks, Data Center LAN & SAN Networks and other optical links.

## Specifications

- Brand: H3C
- Part Numbers: SFP-FE-LX-SM1310-D, RTX139-400-H3C
- Form Factor: SFP
- Max Data Rate: 100Mbps
- Wavelength: 1310nm
- Max Cable Distance: 10km
- Connector: Duplex LC
- Optical Components: FP 1310nm
- Media: SMF
- DOM Support: Yes
- TX Power: -15~-8dBm
- Receiver Sensitivity: < -32.5dBm
- Commercial Temperature Range: 0 to 70°C (32 to 158°F)

[Buy Now](#)